



AXES



Roughneck Axes are manufactured from drop forged and heat treated alloy steel for extreme strength and durability. Epoxy bonded to a solid fibreglass core handle with a soft grip for extreme strength and comfort. Featuring a painted head and polished cutting edge for improved corrosion resistance.

- Drop forged
- Heat treated
- Painted head
- Polished cutting edge
- Solid fibreglass core
- Soft grip



DROP FORGED



HEAT TREATED



PAINTED HEAD



POLISHED CUTTING EDGE



SOLID FIBREGLASS CORE



SOFT GRIP

PRODUCT OVERVIEW

| CODE | DESCRIPTION | SIZE | WEIGHT | BARCODE | COMMODITY CODE |
|--------|-------------|------|-------------|-----------------|----------------|
| 65-640 | Axe | - | 0.6kg/1¼lbs | 0 025997 656405 | 82014000 00 |
| 65-644 | Axe | - | 1.6kg/3½lbs | 0 025997 656443 | 82014000 00 |
| 65-648 | Axe | - | 2.3kg/5lbs | 0 025997 656481 | 82014000 00 |

ADDITIONAL INFORMATION

| DESCRIPTION |
|-------------|
| - |



AXES



SINGLE ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 65-640 | 365.0 | 132.0 | - | 473.0 |
| 65-644 | 910.0 | 188.0 | - | 2670.0 |
| 65-648 | 917.0 | 210.0 | - | 3340.0 |

PACKAGED ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 65-640 | 365.0 | 132.0 | - | 473.0 |
| 65-644 | 910.0 | 188.0 | - | 2670.0 |
| 65-648 | 917.0 | 210.0 | - | 3340.0 |

WASTE PACKAGING DETAILS

| OT CODE | PAPER & CARD (g) | PLASTIC (g) | METAL (g) |
|---------|------------------|-------------|-----------|
| 65-640 | - | - | - |
| 65-644 | - | - | - |
| 65-648 | - | - | - |

INNER CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | PACK QTY |
|---------|-------------|------------|------------|----------------|------------------|----------|
| 65-640 | 385.0 | 155.0 | 110.0 | - | 5.4 | 24 |
| 65-644 | - | - | - | - | - | 6 |
| 65-648 | - | - | - | - | - | 6 |

SHIPPING CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | CARTON QTY |
|---------|-------------|------------|------------|----------------|------------------|------------|
| 65-640 | 390 | 340 | 245 | 22.2 | 22.8 | 24 |
| 65-644 | 940 | 220 | 125 | 14.76 | 16.03 | 6 |
| 65-648 | 965 | 230 | 120 | 19.8 | 20.65 | 6 |

PRODUCT SAFETY INFORMATION



WEAR EYE PROTECTION



WEAR HAND PROTECTION



WEAR FOOT PROTECTION



NOT TO BE SOLD TO ANYONE UNDER 18



KEEP OUT OF THE REACH OF CHILDREN



WARNING: SERIOUS EYE OR BODILY INJURY MAY OCCUR FROM CHIPS OR FLYING FRAGMENTS. INSPECT TOOL BEFORE USE. DO NOT USE IF SIGNS OF CRACKS, CHIPS, MUSHROOMING OR LOOSE/DAMAGED HANDLES. STRIKE SQUARELY AND AVOID GLANCING BLOWS. KEEP OUT OF REACH OF CHILDREN.



AXES



GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.