



SCREWDRIVERS - SLOTTED



Roughneck Screwdrivers are manufactured from S2 steel and heat treated for strength and durability. The comfortable soft-grip handles have an anti-roll profile and feature tip type markings for easy identification. Magnetic tips hold screws and offer better control.

- S2 tool steel
- Heat treated
- Magnetic tip
- Soft grip
- Anti-roll
- Lanyard hole
- Tip marking



S2 TOOL STEEL




HEAT TREATED



MAGNETIC TIP




SOFT GRIP



ANTI-ROLL



LANYARD HOLE



TIP MARKING

PRODUCT OVERVIEW

| CODE | DESCRIPTION | SIZE | WEIGHT | BARCODE | COMMODITY CODE |
|--------|--------------------------------|----------|--------|-----------------|----------------|
| 22-113 | Screwdriver - slotted flared | 4x75mm | - | 0 025997 221139 | 82054000 00 |
| 22-114 | Screwdriver - slotted flared | 6x100mm | - | 0 025997 221146 | 82054000 00 |
| 22-116 | Screwdriver - slotted flared | 8x150mm | - | 0 025997 221160 | 82054000 00 |
| 22-118 | Screwdriver - slotted flared | 10x200mm | - | 0 025997 221184 | 82054000 00 |
| 22-120 | Screwdriver - slotted terminal | 3x100mm | - | 0 025997 221207 | 82054000 00 |
| 22-124 | Screwdriver - slotted parallel | 4x100mm | - | 0 025997 221245 | 82054000 00 |
| 22-125 | Screwdriver - slotted parallel | 6x150mm | - | 0 025997 221252 | 82054000 00 |



SCREWDRIVERS - SLOTTED



ADDITIONAL INFORMATION

DESCRIPTION

-

SINGLE ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 22-113 | 160.0 | 27.0 | - | 43.0 |
| 22-114 | 216.0 | 36.0 | - | 96.0 |
| 22-116 | 271.0 | 35.0 | - | 153.0 |
| 22-118 | 325.0 | 35.0 | - | 197.0 |
| 22-120 | 192.0 | 26.0 | - | 41.0 |
| 22-124 | 187.0 | 26.0 | - | 46.0 |
| 22-125 | 265.0 | 3.4 | - | 107.0 |

PACKAGED ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 22-113 | 160.0 | 27.0 | - | 43.0 |
| 22-114 | 216.0 | 36.0 | - | 96.0 |
| 22-116 | 271.0 | 35.0 | - | 153.0 |
| 22-118 | 325.0 | 35.0 | - | 197.0 |
| 22-120 | 192.0 | 26.0 | - | 41.0 |
| 22-124 | 187.0 | 26.0 | - | 46.0 |
| 22-125 | 265.0 | 3.4 | - | 107.0 |

WASTE PACKAGING DETAILS

| OT CODE | PAPER & CARD (g) | PLASTIC (g) | METAL (g) |
|---------|------------------|-------------|-----------|
| 22-113 | - | - | - |
| 22-114 | - | - | - |
| 22-116 | - | - | - |
| 22-118 | - | - | - |
| 22-120 | - | - | - |
| 22-124 | - | - | - |
| 22-125 | - | - | - |

INNER CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | PACK QTY |
|---------|-------------|------------|------------|----------------|------------------|----------|
| 22-113 | - | - | - | - | - | - |
| 22-114 | - | - | - | - | - | - |
| 22-116 | - | - | - | - | - | - |
| 22-118 | - | - | - | - | - | - |
| 22-120 | - | - | - | - | - | - |
| 22-124 | - | - | - | - | - | - |
| 22-125 | - | - | - | - | - | - |

SHIPPING CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | CARTON QTY |
|---------|-------------|------------|------------|----------------|------------------|------------|
| 22-113 | - | - | - | - | - | - |
| 22-114 | - | - | - | - | - | - |



SCREWDRIVERS - SLOTTED



| | | | | | | |
|--------|---|---|---|---|---|---|
| 22-116 | - | - | - | - | - | - |
| 22-118 | - | - | - | - | - | - |
| 22-120 | - | - | - | - | - | - |
| 22-124 | - | - | - | - | - | - |
| 22-125 | - | - | - | - | - | - |

PRODUCT SAFETY INFORMATION



WEAR EYE PROTECTION



WEAR EYE PROTECTION

GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.