



COLT 600E SAWHORSE

TOUGH. STABLE. VERSATILE



The ROUGHNECK COLT 600E Sawhorse is a tough, stable, versatile brute, a reliable addition to any job site. HEAVY DUTY STEEL construction ensures strength and durability when it matters most. Each COLT 600E Sawhorse stands its ground with an impressive weight-bearing capacity of 589kg, a substantial 1178kg when used as a pair.

Independently HEIGHT-ADJUSTABLE legs constructed from HEAVY GAUGE STEEL, ensure stability. Offering a customisable working height, ranging from 630-820mm, with stability ensured through secure locking at 28mm intervals.

PIVOTING FEET ensure a steadfast grip with rubber pads adding an extra layer of support and surface protection.

UNIQUE to the COLT 600E the innovative PIPE-PROP feature conveniently holds 15mm and 22mm pipes, rods, and dowels ready for cutting.

EXTENDABLE TIMBER SUPPORTS, which adjust to fit 2x4s or 4x4s, enable the transformation of two sawhorses into a stable, sturdy worktable, providing a versatile platform ready for hard graft.

Sheet material SUPPORT ARMS facilitating upright cutting with ease, accommodating larger pieces effortlessly with just one sawhorse. POWDER-COATED for added resilience, these sawhorses boast a rugged exterior that stands up to the TOUGHEST ENVIRONMENTS.



- Max. Distributed Load 589kg/1300lbs Each
- Max. Distributed Load 1178kg/2600lbs Per Pair
- Pipe-Prop
- Independently Height Adjustable Legs
- Extendable Timber Supports
- Anti-Slip Surface
- Sheet Material Support Arms
- Pivoting Feet
- Heavy Duty Steel Construction
- Powder Coated



MAX. DISTRIBUTED LOAD
589KG/1300LBS EACH



MAX. DISTRIBUTED LOAD
1178KG/2600LBS PER PAIR



PIPE-PROP



INDEPENDENTLY HEIGHT
ADJUSTABLE LEGS



EXTENDABLE TIMBER SUPPORTS



ANTI-SLIP SURFACE



SHEET MATERIAL SUPPORT ARMS



PIVOTING FEET



HEAVY DUTY STEEL CONSTRUCTION



**COLT 600E
SAWHORSE**
TOUGH. STABLE. VERSATILE



EXTENDABLE TIMBER SUPPORTS

PRODUCT OVERVIEW

| CODE | DESCRIPTION | SIZE | WEIGHT | BARCODE | COMMODITY CODE |
|--------|--------------------|------------------------------|--------|---------------|----------------|
| 35-601 | COLT 600E SAWHORSE | 630-820mm / 24 3/4 - 32 1/4" | - | 5057902356013 | None |

ADDITIONAL INFORMATION

| DESCRIPTION |
|-------------|
| - |

SINGLE ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 35-601 | - | - | - | - |

PACKAGED ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 35-601 | - | - | - | - |

WASTE PACKAGING DETAILS

| OT CODE | PAPER & CARD (g) | PLASTIC (g) | METAL (g) |
|---------|------------------|-------------|-----------|
| 35-601 | - | - | - |

INNER CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | PACK QTY |
|---------|-------------|------------|------------|----------------|------------------|----------|
| 35-601 | - | - | - | - | - | - |

SHIPPING CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | CARTON QTY |
|---------|-------------|------------|------------|----------------|------------------|------------|
| 35-601 | - | - | - | - | - | - |

PRODUCT SAFETY INFORMATION



PLEASE READ ALL INSTRUCTIONS BEFORE USE. ENSURE PRODUCT IS CORRECTLY SET UP AND FULLY STABLE PRIOR TO USE. DO NOT EXCEED THE STATED WEIGHT LIMITS. PRODUCT INTENDED FOR USE AS A SAWHORSE ONLY.

GUARANTEE



COLT 600E SAWHORSE

TOUGH. STABLE. VERSATILE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.