



# GORILLA SLEDGE HAMMERS

UNIQUE SHAPE FOR OUTSTANDING VERSATILITY AND PERFORMANCE



Roughneck Gorilla Sledge Hammers feature a unique shape for outstanding versatility and performance. The domed striking point exerts concentrated force for more effective demolition, while the extra large striking face reduces misstrikes. Also features side striking faces for use on wooden fence posts. Drop forged from high carbon steel, with induction hardened striking faces for extreme strength and durability. Mounted on a compression fitted, solid fibreglass core handle with a shock absorbing grip for extreme strength and comfort.




- Dome-shaped point
- Extra large face
- 45° chamfered edges
- Fence post striking face x2
- Solid fibreglass core
- Compression fit handle
- Drop forged
- Lanyard hole
- Shock absorbing grip
- Induction hardened



DOME-SHAPED POINT



EXTRA LARGE FACE



45° CHAMFERED EDGES



FENCE POST STRIKING FACE X2



SOLID FIBREGLASS CORE



COMPRESSION FIT HANDLE



SHOCK ABSORBING GRIP



LANYARD HOLE



DROP FORGED

## PRODUCT OVERVIEW

| CODE   | DESCRIPTION   | SIZE | WEIGHT      | BARCODE         | COMMODITY CODE |
|--------|---------------|------|-------------|-----------------|----------------|
| 65-906 | Sledge hammer | -    | 2.7kg/6lbs  | 0 025997 659062 | 82052000 00    |
| 65-908 | Sledge hammer | -    | 3.6kg/8lbs  | 0 025997 659086 | 82052000 00    |
| 65-910 | Sledge hammer | -    | 4.5kg/10lbs | 0 025997 659109 | 82052000 00    |
| 65-912 | Sledge hammer | -    | 5.5kg/12lbs | 0 025997 659123 | 82052000 00    |

## ADDITIONAL INFORMATION

| DESCRIPTION |
|-------------|
| -           |



# GORILLA SLEDGE HAMMERS

UNIQUE SHAPE FOR OUTSTANDING VERSATILITY AND PERFORMANCE



## SINGLE ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 65-906  | 850.0       | 180.0      | -           | 4010.0     |
| 65-908  | 850.0       | 199.0      | -           | 4960.0     |
| 65-910  | 850.0       | 201.0      | -           | 5860.0     |
| 65-912  | 850.0       | 218.0      | -           | 6790.0     |

## PACKAGED ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 65-906  | 850.0       | 180.0      | -           | 4010.0     |
| 65-908  | 850.0       | 199.0      | -           | 4960.0     |
| 65-910  | 850.0       | 201.0      | -           | 5860.0     |
| 65-912  | 850.0       | 218.0      | -           | 6790.0     |

## WASTE PACKAGING DETAILS

| OT CODE | PAPER & CARD (g) | PLASTIC (g) | METAL (g) |
|---------|------------------|-------------|-----------|
| 65-906  | -                | -           | -         |
| 65-908  | -                | -           | -         |
| 65-910  | -                | -           | -         |
| 65-912  | -                | -           | -         |

## INNER CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | PACK QTY |
|---------|-------------|------------|------------|----------------|------------------|----------|
| 65-906  | 925.0       | 190.0      | 80.0       | -              | 8.04             | 4        |
| 65-908  | 935.0       | 200.0      | 85.0       | -              | 9.84             | 4        |
| 65-910  | -           | -          | -          | -              | -                | 2        |
| 65-912  | -           | -          | -          | -              | -                | -        |

## SHIPPING CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | CARTON QTY |
|---------|-------------|------------|------------|----------------|------------------|------------|
| 65-906  | 935         | 200        | 185        | 16.2           | 17.15            | 4          |
| 65-908  | 945         | 210        | 190        | 19.7           | 20.65            | 4          |
| 65-910  | 950         | 215        | 100        | 11.48          | 12.05            | 2          |
| 65-912  | -           | -          | -          | -              | -                | -          |

## PRODUCT SAFETY INFORMATION



WEAR EYE PROTECTION



WEAR HAND PROTECTION



WEAR FOOT PROTECTION



WARNING: SERIOUS EYE OR BODILY INJURY MAY OCCUR FROM CHIPS OR FLYING FRAGMENTS. INSPECT TOOL BEFORE USE. DO NOT USE IF SIGNS OF CRACKS, CHIPS, MUSHROOMING OR LOOSE/DAMAGED HANDLES. STRIKE SQUARELY AND AVOID GLANCING BLOWS.



# GORILLA SLEDGE HAMMERS

UNIQUE SHAPE FOR OUTSTANDING VERSATILITY AND  
PERFORMANCE



## GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.