



SLEDGE HAMMERS



Manufactured from drop forged, heat treated steel for exceptional strength and durability. Mounted on a solid fibreglass core handle with a soft grip for added strength and comfort. Featuring milled convex striking faces with 45° chamfered edges to prevent chipping and damage to striking surfaces. Overstrike protection to reduce handle damage in the event of a misstrike.

- Milled convex faces
- 45° chamfered edges
- Overstrike protection
- Solid fibreglass core
- Soft grip
- Drop forged
- Heat treated
- Painted head



MILLED CONVEX FACES



45° CHAMFERED EDGES



OVERSTRIKE PROTECTION



SOLID FIBREGLASS CORE



SOFT GRIP



DROP FORGED



HEAT TREATED



PAINTED HEAD

PRODUCT OVERVIEW

CODE	DESCRIPTION	SIZE	WEIGHT	BARCODE	COMMODITY CODE
65-627	Sledge hammer	-	2.7kg/6lbs	0 025997 656276	82052000 00
65-631	Sledge hammer	-	3.6kg/8lbs	0 025997 656313	82052000 00
65-633	Sledge hammer	-	4.5kg/10lbs	0 025997 656337	82052000 00
65-634	Sledge hammer	-	5.5kg/12lbs	0 025997 656344	82052000 00
65-635	Sledge hammer	-	6.4kg/14lbs	0 025997 656351	82052000 00
65-636	Sledge hammer	-	7.3kg/16lbs	0 025997 656368	82052000 00

ADDITIONAL INFORMATION

DESCRIPTION



SLEDGE HAMMERS



SINGLE ITEM DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (g)
65-627	895.0	147.0	-	3720.0
65-631	895.0	161.0	-	4580.0
65-633	905.0	172.0	-	5630.0
65-634	917.0	180.0	-	6310.0
65-635	917.0	184.0	-	7230.0
65-636	917.0	210.0	-	8510.0

PACKAGED ITEM DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (g)
65-627	895.0	147.0	-	3720.0
65-631	895.0	161.0	-	4580.0
65-633	905.0	172.0	-	5630.0
65-634	917.0	180.0	-	6310.0
65-635	917.0	184.0	-	7230.0
65-636	917.0	210.0	-	8510.0

WASTE PACKAGING DETAILS

OT CODE	PAPER & CARD (g)	PLASTIC (g)	METAL (g)
65-627	-	-	-
65-631	-	-	-
65-633	-	-	-
65-634	-	-	-
65-635	-	-	-
65-636	-	-	-

INNER CARTON DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	DEPTH (mm)	NET WEIGHT (g)	GROSS WEIGHT (g)	PACK QTY
65-627	960.0	160.0	70.0	-	7.5	4
65-631	980.0	180.0	70.0	-	9.4	4
65-633	-	-	-	-	-	2
65-634	-	-	-	-	-	2
65-635	-	-	-	-	-	2
65-636	-	-	-	-	-	2

SHIPPING CARTON DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	DEPTH (mm)	NET WEIGHT (g)	GROSS WEIGHT (g)	CARTON QTY
65-627	980	175	160	15.3	15.75	4
65-631	990	190	165	19.2	21.5	4
65-633	980	180	75	10.9	11.5	2
65-634	-	-	-	-	-	2
65-635	1000	220	90	14.72	15.38	2
65-636	1020	230	90	16.8	17.3	2



SLEDGE HAMMERS



PRODUCT SAFETY INFORMATION



WEAR EYE PROTECTION



WEAR HAND PROTECTION



WEAR FOOT PROTECTION



WARNING: SERIOUS EYE OR BODILY INJURY MAY OCCUR FROM CHIPS OR FLYING FRAGMENTS. INSPECT TOOL BEFORE USE. DO NOT USE IF SIGNS OF CRACKS, CHIPS, MUSHROOMING OR LOOSE/DAMAGED HANDLES. STRIKE SQUARELY AND AVOID GLANCING BLOWS.

GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.