



COLD CHISELS



Roughneck Cold Chisels are manufactured from drop forged, heat treated steel for strength and durability. Powder coated with polished tips for greater corrosion resistance.

- Polished tips
- Tip protectors
- Drop forged
- Heat treated
- Powder coated



POLISHED TIPS



TIP PROTECTORS



DROP FORGED



HEAT TREATED



POWDER COATED

PRODUCT OVERVIEW

| CODE | DESCRIPTION | SIZE | WEIGHT | BARCODE | COMMODITY CODE |
|--------|-------------|----------------|--------|-----------------|----------------|
| 31-978 | Cold chisel | 16x152mm/ x6" | - | 0 025997 319782 | 82053000 00 |
| 31-979 | Cold chisel | 25x203mm/1x8" | - | 0 025997 319799 | 82053000 00 |
| 31-980 | Cold chisel | 25x254mm/1x10" | - | 0 025997 319805 | 82053000 00 |
| 31-981 | Cold chisel | 25x305mm/1x12" | - | 0 025997 319812 | 82053000 00 |
| 31-983 | Cold chisel | 25x457mm/1x18" | - | 0 025997 319836 | 82053000 00 |

ADDITIONAL INFORMATION

| DESCRIPTION |
|-------------|
| - |



COLD CHISELS



SINGLE ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 31-978 | 203.0 | 57.0 | - | 261.0 |
| 31-979 | 254.0 | 57.0 | - | 480.0 |
| 31-980 | 306.0 | 57.0 | - | 605.0 |
| 31-981 | 360.0 | 57.0 | - | 718.0 |
| 31-983 | 510.0 | 57.0 | - | 1097.0 |

PACKAGED ITEM DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | HEIGHT (mm) | WEIGHT (g) |
|---------|-------------|------------|-------------|------------|
| 31-978 | 203.0 | 57.0 | - | 261.0 |
| 31-979 | 254.0 | 57.0 | - | 480.0 |
| 31-980 | 306.0 | 57.0 | - | 605.0 |
| 31-981 | 360.0 | 57.0 | - | 718.0 |
| 31-983 | 510.0 | 57.0 | - | 1097.0 |

WASTE PACKAGING DETAILS

| OT CODE | PAPER & CARD (g) | PLASTIC (g) | METAL (g) |
|---------|------------------|-------------|-----------|
| 31-978 | - | - | - |
| 31-979 | - | - | - |
| 31-980 | - | - | - |
| 31-981 | - | - | - |
| 31-983 | - | - | - |

INNER CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | PACK QTY |
|---------|-------------|------------|------------|----------------|------------------|----------|
| 31-978 | - | - | - | - | - | 36 |
| 31-979 | 320.0 | 290.0 | 80.0 | - | 2.94 | 36 |
| 31-980 | 320.0 | 285.0 | 75.0 | - | 3.8 | 24 |
| 31-981 | 320.0 | 315.0 | 75.0 | - | 4.5 | 24 |
| 31-983 | 470.0 | 325.0 | 75.0 | - | 6.6 | 18 |

SHIPPING CARTON DIMENSIONS

| OT CODE | LENGTH (mm) | WIDTH (mm) | DEPTH (mm) | NET WEIGHT (g) | GROSS WEIGHT (g) | CARTON QTY |
|---------|-------------|------------|------------|----------------|------------------|------------|
| 31-978 | - | - | - | - | - | 36 |
| 31-979 | 488 | 337 | 307 | 19.02 | 20.04 | 36 |
| 31-980 | 340 | 330 | 300 | 15.0 | 16.5 | 24 |
| 31-981 | 340 | 330 | 330 | 18.0 | 19.5 | 24 |
| 31-983 | 485 | 340 | 250 | 19.7 | 21.3 | 18 |

PRODUCT SAFETY INFORMATION



COLD CHISELS



WEAR EYE PROTECTION



WEAR HAND PROTECTION



WARNING: DO NOT USE IF SIGNS OF CRACKS, CHIPS OR MUSHROOMING. STRIKE SQUARELY AND AVOID GLANCING BLOWS.

GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.